

Pris- og udstyrsliste

Kampagnemodell 9340 Agrotron TTV Stage V



Læs mere på de næste sider...



1 1 NR 7FP102 9340 AGROTRON TTV (STAGE V)

DEUTZ TTCD 7.8 L06 Stage V. 4 Valve Deutz Common Rail (DCR). 6 cylinder. 7775 cm³ capacity with with double stage turbocharger. SCR-System (Selective Catalytic Reduction). EGR (External Gas Recirculation) and passive DPF (Diesel Particulate Filter). Power at rated speed (2100 rpm) (ECE R 120): 316 HP/232 kW. Max power (1900 rpm) (ECE R 120): 336 HP/247 kW. Automatic Function for: 4WD, Diff.-Lock, PTO. ComforTip headland management. Hydrostatic steering with independent pump. Tilting and adjustable column. Rear ELECTRONIC lift. Digital display. Comfortip: sequential drive system.

Læs mere på nedenstående sider...

ER009

Kan tilkøbes: SR20 PRO: GNSS RECEIVER for centimeter accuracy (RTK), capable for Galileo/GPS/Glonass. For RTK NTRIP CTM installation + Data package mandatory

ET005

Kan tilkøbes: Performance Steering predisposition, includes adjustable "Easy Steer"

Specifikationer på 9340 Agrotron TTV



Læs nedenunder:

General features

Country/Specializing

RW000	Standard specs	✓
TDN46	Homologation for EEC market (MR)	✓
TZ001	Warning plates	✓
VC021	Battery: 12V - 180Ah - 1200A (EN) / 800A (IEC) / 700A (DIN)	

Powertrain

CG041	Fuel tank: 600 l / AdBlue tank: 55 l	✓
CN030	Air filter with dust ejector, pre-cleaning via permanent vacuum through the engine fan	✓
EL004	Electronic Parking Brake (EPB)	✓
EM005	Transmission designed for 60 Km/h, limited to 40 km/h at super-economy engine speed	✓
EN001	Fixed rear axle	✓
EU251	Continuously Variable Transmission (TERRAMATIC) with 3 driving strategies (MANUAL/AUTO/PTO). Rear PTO: 540E/1000/1000E (includes 1" 3/4 with 20 splines stub shaft)	✓
NC048	FRONT SUSPENDED AXLE + Front differential lock oil-immersed multi-disc + ASM system	✓
ZZ133	Stage V technology	✓

Plat/Cab/Bodywork

2-001	Connectivity Value Package CTM capable for Remote Access and NTRIP	✓
AG007	Leather and fabric passenger seat with seatbelt	✓
AJ002	Rolling safety seat belt	✓
AK001	Rear window wiper	✓
AM141	MaxiVision2 CAB with: Panorama Window in the front, interior cover, consolle, ventilation and heating system, pre-arrangement for radio with antenna and 4 loudspeakers, tinted glasses (side and rear), 2 front work lights, ambience light, automatic direction indicator, telescopic external mirrors, external outlet for equipment check, refrigerated and heated drink storage compartment, parcel tray. WOLP Panel (Working Operating light Panel) centralized control panel for all tractor lights + WorkMonitor	✓
AP015	InfoCentrePro with 5" colour display (km/h)	✓
AT008	Right fixed ladder	✓
AZ001	Headrest for seat	✓
ES002	CTM 4G Communication Telematic Module. Embedded "all-net" sim with automatic use of the strongest mobile network available. CTM enables various applications which are available after license purchase: Fleet Management, Agrirouter, RTK NTRIP (EU)	✓
SI006	Cab with front fixed window and lateral opening glasses	✓
SJ001	Cab with rear opening window	✓
SS012	Self-levelling cab with PNEUMATIC suspension	✓
VE006	Front headlights for right-hand traffic	✓

VP002	Front LED work lights on bonnet	✓
WC028	Rear mudguards with push-button panel for rear lift, electro-hydr. spool valve and PTO	✓
Hitch		
FB001	Electro-hydraulic valve for FRONT LINKAGE control	✓
GC109	Three-point linkage with automatic upper and lower links cat. III	✓
GE105	Mechanical right and left tie rod	✓
GT017	Lift assistor rams 120 mm (12000 kg capacity)	✓
YG009	Self-locking automatic stabilizers	✓
YO000	Without remote controls for automatic trailer hitch	✓
YS002	Drawbar & hitches (SAUERMANN)	✓
Tyres		
WE003	Front steering mudguards	✓
Hydraulic/Pneumatic		
GO001	Free hydraulic oil return	✓
XQ007	Hydraulic distributors with "Push-pull" quick couplers and oil recovery tank	✓

Additional Equipment

Country/Specializing

CH002	Fuel and AdBlue tank caps with lock	✓
CZ122	"WARRIOR BLACK" equipment with Warrior lettering. Black body, LED lights pack, Syntetic leather seat, stainless plate on muffler.	✓
TC013	User manual (Danish)	✓
TH001	Triangular Slow Moving Vehicle (SMV)	

Powertrain

CC112	Vertical exhaust pipe on cab post with stainless plate on muffler	✓
-------	---	---

Plat/Cab/Bodywork

AE497	Seat Max-Dynamic Evo DDS XXL (SYNTHETIC LEATHER) (low frequency air-suspension with Dynamic Damping System, automatic weight adjustment, adjustable seat position, document holder, pneumatic lumbar support, upper backrest extension, active climate system, lateral suspension, fore-aft suspension, swivel LH: 8°, swivel RH: 15°, extra wide frame 550 mm) and Multifunction Armrest	✓
AF015	DAB+ Radio with Bluetooth and integrated functionalities on InfoCentrePro (Radio station info, incoming call, last calls list). Radio with DAB+/FM/AM band and USB port for playing MP3 and WMA files. Aux in port and microphone for comfortable hands free function. Fully integrated DAB+/FM antenna in the cabin roof.	✓
AL013	Right and left ELECTRIC and HEATED mirrors with external courtesy LED lights	✓

AQ026	AUTOMATIC air conditioning	✓
AV031	Cab roof hatch. 4 front + 4 rear LED work lights on cab roof	✓
AW004	Cab roof with LOW-E GLASS opening HATCH without FOPS	✓
AX001	Cab floor mat cover	✓
RR001	Radar	✓
VF018	Double LED rotary beacon	✓
VG008	Rear LED work light on mudguard	✓
VI011	4 additional rear LED work lights on cab	✓
VJ020	7-pin socket for equipment (ISO 11786)	✓
VL010	4 front LED IV low work lights	✓
VQ005	2 upper LED headlights on cab post	✓
VX001	Rear electrical socket ISOBUS ISO 11783	✓
VY021	iMonitor3 in 12" contains Isobus features: Universal Terminal, TC-SC with up to 200 sections, TC-BAS for ISO-XML data transfer, TC-GEO for variable rate control, AUX-N assignments	✓
WA001	Keyboard control MMI	✓
WB002	2 Cameras	✓
ZA002	Application Package Basic 2 years capable for Remote Access and NTRIP (RTK signal must be purchased by local provider)	✓

Hitch

FA168	FRONT LINKAGE with double effect cylinders (5000 kg capacity) + FRONT PTO 1000 with electrohydraulic engagement. 2 additional headlights on cab post	✓
FC003	Cat. III AUTOMATIC upper link for front linkage	✓
FD002	Front linkage with ground controls and electrical sockets	✓
LI027	Splined profile PTO shafts 1" 3/8 with 21 splines and 1" 3/4 with 6 splines	✓
YM200	Adjustable D. 80 ball hitch with forced steering balls	✓
YQ004	Swinging drawbar cat. III	✓

Tyres

RF1180	Tyres: IF 650/65 R34 front, IF 800/70 R42 rear (fixed rims)	✓
WD030	Rear mudguard extensions (overall width 3000 mm)	✓

Hydraulic/Pneumatic

GB452	Close centre hydraulic system with "LOAD SENSING" pump (210 l/min)	✓
GN028	ComfortPack with 1 electro-hydraulic distributor (2 outlets)	✓
GP273	6 electro-hydraulic rear distributors with flow regulator and timer	✓
GR003	20 litre additional air tank for pneumatic trailer braking system	✓
GS028	Hydraulic + Pneumatic trailer braking system with 2 outlets (MR)	✓
GX001	POWER BEYOND: direct oil inlet to connect to the external spool valves	✓

Equipment

YI013	FP-PAC (magnetite) ballast for front linkage (2000 kg)	✓
-------	--	---